

## COMPLIANCE FOR RETAIL

**Sample Name: Ferrari Runtz**

Lab Sample ID: F312026-01

Retail Batch Total Wt/Vol: N/A

Retail Batch Date: N/A

Matrix: Inhalable Flower

Retail Batch Total Units: N/A

Total Wt. Vol or Unit Sampled: 1

Date Sampled: 12/08/2023

Date Received: 12/08/2023

Date Reported: 12/14/2023



<b>Total Cannabinoids</b>	
<b>29.7%</b>	
<b>Major Cannabinoids</b>	
<b>Total CBD</b>	<b>Total THCA</b>
<b>0.0458%</b>	<b>26.3%</b>
<b>0.458 mg/g</b>	<b>263 mg/g</b>
<b>Minor Cannabinoids *</b>	
<b>CBGA</b>	<b>CBCA</b>
<b>0.630%</b>	<b>0.237%</b>
<b>6.30 mg/g</b>	<b>2.37 mg/g</b>

\* Most abundant

### Cannabinoids

Date Prepared: 12/08/23 11:05  
Date Analyzed: 12/11/23 14:49  
Lab Batch: B211301

Prep ID: NS  
Analyst ID: SP

Specimen Prep: 0.2795 g / 10 mL  
Instrument: HPLC

Prep/Analysis Method: ACCU LAB SOP-15

Analyte	Dilution	LOQ	Results	Results
			%	mg/g
CBC	5	0.0179	ND	ND
CBCA	5	0.0179	0.237	2.37
CBD	5	0.0179	ND	ND
CBDA	5	0.0179	0.002	0.022
CBDV	5	0.0179	ND	ND
CBDA	5	0.0179	ND	ND
CBG	5	0.0179	0.111	1.11
CBGA	5	0.0179	0.630	6.30
CBN	5	0.0179	ND	ND
delta-8-THC	5	0.0179	ND	ND
delta-9-THC	5	0.0179	0.241	2.41
THCA	5	0.179	26.3	263
THCV	5	0.0179	ND	ND
THCVA	5	0.0179	0.091	0.91



# cannaBased

#### Definitions and Abbreviations used in this report

Total CBD = CBD + (CBD-A \* 0.877), Total THC = THCA \* 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DF = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (ug/g) = Microgram per Gram,

(ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect, Total Contaminant Load (TCL) = The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



FJLA  
Testing  
Accreditation#: 109150

**Dr. Harry Bezhadi, PhD.**  
President, CEO

